

## Letter of Authorization

1) SKYMARD CONSTRUCTION MACHINERY (HUNAN) CO., LTD ALONG SIDE WITH SKYMARD CONSTRUCTION MACHINERY (HUNAN) CO., LTD.

2) BARRE DIGITAL MARKET LTD

### BETWEEN:

1. SKYMARD CONSTRUCTION MACHINERY (HUNAN) CO., LTD.

the best supplier of Chinese construction machinery, with a unified socialcredit code of <430194000181297>, whose registered office is R o o m 3501, Fuxing Times Financial Center T6, Dongfeng Road Street, Kaifu district, Changsha,Hunan, China

M.P.: +8613187236835 Email: white@skymard.com  
and Sinomada Heavy Industry (Changsha) Co., Ltd.

Sinomada China Limited Add: Room 4718, Building C2,  
Wanda Plaza, Xiangjiang Middle Road, Kaifu District,  
Changsha, Hunan, China Tel: +86-0731-85151898 +86-  
0731-85124438 +86-0731-85124498 +86-0731-85124418  
+86-0731-85124428 +86-0731-85124408 E-mail:  
export@sinomada.com Global trade starts here. TM Web:  
www.sinomada.com

Are authorized to "Barre Digital Market ".

2) BARRE DIGITAL MARKET LTD, a trailblazing digital agency based in Somalia and Kenya.

Republic of Somalia, under number (Serial No: SCC00209/ 2024) whose registered office is( Howl wadag-Sayidka, Mogadishu, Somalia. Tel number: +252-611672000 Email: info@barredigitalmarket.com)

Republic of Kenya, under number (Taxpayer PIN : P052362516R) whose registered office is at (P.O BOX 733, G.P.O NAIROBI TELEPHONE: +254793990067, Email: info@barredigitalmarket.com. Country: Nairobi District: Starehe District , Locality:Eastleigh Street: Jam Street, Building:Eastleigh Mall)

Full authority to promote and sell the company's construction machinery products, all legal consequences and legal responsibilities of the dealer's business activities are borne by the dealer itself, and have nothing to do with our authorized factory. The final interpretation right of this authorization belongs to SHANGHAI CANMAX ELECTRONIC & MECHANICAL EQUIPMENT CO., LTD.

Note: This authorization does not include public bidding projects

Authorization validity period: October 1,2023-September 30, 2025



SKYMARD CONSTRUCTION MACHINERY (HUNAN) CO., LTD.





**Sinomada Heavy Industry (Changsha) Co., Ltd.**  
**Sinomada China Limited**

📍 Add: Room 4718, Building C2, Wanda Plaza, Xiangjiang Middle Road, Kaifu District, Changsha, Hunan, China  
☎ Tel: +86-0731-85151898 +86-0731-85124438 +86-0731-85124498 +86-0731-85124418 +86-0731-85124428 +86-0731-85124408  
✉ E-mail: [export@sinomada.com](mailto:export@sinomada.com) 🌐 Web: [www.sinomada.com](http://www.sinomada.com)  
Alibaba.com [sinomada.en.alibaba.com](http://sinomada.en.alibaba.com) / [sinomadacn.en.alibaba.com](http://sinomadacn.en.alibaba.com)  
global SOURCES [sinomada.manufacturer.globalsources.com](http://sinomada.manufacturer.globalsources.com) [made-in-china.com](http://made-in-china.com) [sinomada.en.made-in-china.com](http://sinomada.en.made-in-china.com)





09



Lifting  
Machinery

Earthmoving  
Machinery



13

17



Road  
Construction  
Machinery

Concrete  
Machinery



23

27



Truck & Special  
Vehicle

Drilling  
Machinery



31

35



Port  
Machinery

Agricultural  
Machinery



37

+ Integrity + Internet + Diligence  
+ International Trading + Passion + Big Data  
+ B2B + Efficiency + E-Commerce  
+ the Belt and Road + Professionalism  
+ Win-Win + Import and Export



# OUR TEAM

Our Customers Friendship Worldwide







# We Help You Succeed

**GREEN**




 September 2019 - 1 Unit ZOOMLION QY55V552 to Uzbekistan



 September 2019 - 1 Unit SANY SY-60C to Ecuador




 July 2019 - 1 Unit SANY Road Roller SSR120C-10 to Peru




 July 2019 - 1 Unit SANY Motor Grader STG170C-8 to Peru




 July 2019 - 1 Unit ZOOMLION ZTC251E552 to Mongolia




 July 2019 - 1 Unit ZOOMLION ZTC250V451 to Mongolia




 June 2019 - 1 Unit SANY SYM5230THB 370C to Uzbekistan




 June 2019 - 1 Unit ZOOMLION QY55V to Uzbekistan




 June 2019 - 2 Units SANY SYL956H5 to Philippines




 May 2019 - 1 Unit SANY SYM5180THBES to Myanmar




 April 2019 - 2 Units SANY SYL956H5 to Bahrain




 April 2019 - 1 Unit SANY 75ton Crawler Crane SCC750A to Bahrain




 January 2020 - 1 Unit SANY STC250 to Philippines




 December 2019 - 1 Unit SANY SCC750A to Philippines




 November 2019 - 1 Unit SANY SCC550TB-1 to Asia




 November 2019 - 1 Unit ZOOMLION ZTC250V451.1 to Kazakhstan



 September 2019 - 1 Unit SANY SYL956H5 to Southeast Asia



 October 2019 - 1 Unit ZOOMLION ZTC500H552 to Mongolia



# LIFTING MACHINERY

Your Partner in Construction Site



● SANY Truck Crane



Model	Engine/Power	Max. Lifting Capacity	Full-extend Boom
STC250S	SHANGCHAI/206KW	25000kg	41m
STC500S	SHANGCHAI/251KW	50000kg	43.7m
STC700T	CUMMINS/275KW	70000kg	46m
STC1000T	BENZ/350KW	100000kg	60m

● XCMG Truck Crane



Model	Engine/Power	Max. Lifting Capacity	Full-extend Boom
QY25K-II	WEICHAI/206KW	25000kg	34.19m
QY50KA	WEICHAI/276KW	50000kg	42.7m
QY70K-I	WEICHAI/276KW	70000kg	44.2m
XCT1000	WEICHAI/316KW	100000kg	6.3m

● ZOOMLION Truck Crane



Model	Engine/Power	Max. Lifting Capacity	Full-extend Boom
QY25V552	WEICHAI/199KW	25000kg	40m
QY55V552	WEICHAI/247KW	55000kg	43m
QY70V552	WEICHAI/276KW	70000kg	47m
QY1000V653	WEICHAI/276KW	100000kg	64m

● SANY Rough Terrain Crane



Model	Max. Rated Lifting Capacity	Max. Travel Speed	Max. Lifting Height of Jib
SRC300C	30000kg	46 km/h	45.2m
SRC550C	55000kg	40km/h	34.5m
SRC600C	60000kg	40km/h	43.9m
SRC1200	120000kg	26km/h	49.7m



● ZOOMLION Rough Terrain Crane

**ZOOMLION**



● All Terrain Crane



Model	Max. Rated Lifting Capacity	Max. Travel Speed	Max. Lifting Height of Jib
RT35	35000kg	38km/h	46m
RT60	60000kg	39km/h	62.2m
RT75	75000kg	36km/h	56.8m
RT100	100000kg	24km/h	63m

Brand	Model	Engine/Power	Max. Lifting Capacity	Full-extend Boom
SANY	SAC180	Benz/360kw	180000kg	62m
ZOOMLION	ZAT2000V753.1	Benz/480kw	200000kg	72m
XCMG	QAY180	Benz/360kw	180000kg	60m
XCMG	QAY160	Benz/360kw	160000kg	60m

● SANY Tower Crane



Model	Max. Load	Jib Length	Free Height/Tip load
T5013-6	6 ton	60m	46m
T6013-8	8 ton	60m	45m
T7015-10	10 ton	70m	60m
T7527-12	12 ton	75m	51m

● ALL Tower Crane



Model	Max. Load	Jib Length	Free Height/Tip load
QTZ40	4ton	40m	31m
QTZ80	6ton	50m	1.3ton
TC7013-10	10ton	70m	60m
TC7525-16	16ton	75m	51.3m

● SANY Crawler Crane



● ZOOMLION Crawler Crane **ZOOMLION**



Model	Max. Lifting Capacity	Max. Lifting Moment	Boom Length
SCC550A	55ton	203.5t.m	52m
SCC1350A	135ton	668t.m	76m
SCC1500D	150ton	900t.m	81m
SCC2600A	260ton	1470.4t.m	85m

Model	Max. Lifting Capacity	Max. Lifting Moment	Boom Length
ZCC550H-1	55ton	209t.m	52m
ZCC1100H	110ton	320t.m	67m
ZCC1300	130ton	717t.m	76m
ZCC2600CR	260ton	1300t.m	83m

● SANY Truck-Mounted Crane



Model	Max. Lifting Capacity	Max. Height	Arm Length
SPS8000	3.2ton	10.4m	3.5m
SPS20000	8ton	18.1m	5.3m
SPS25000	10ton	18.1m	5.3m
SPS35000	14ton	18.5m	5.6m

● XCMG Truck-Mounted Crane



Model	Max. Lifting Capacity	Max. Height	Arm Length
SQS160-4	8ton	12.3m	10.3m
SQS200-4	8ton	13.5m	11.85m
SQZ350-5	14ton	13.2m	12m
SQS350-5	14ton	17m	16.1m



# EARTHMOVING MACHINERY

Building and Powering a Better World



● SANY Wheel Loader



Product Name	Load Capacity	Bucket Capacity	Engine Model
SYL956H5	5000kg	2.7-4.0m <sup>3</sup>	CUMMINS
SW405K	5000kg	3.0 m <sup>3</sup>	DEUTZ

● XCMG Wheel Loader



Product Name	Load Capacity	Bucket Capacity	Engine Model
LW300FN	3000kg	1.8 m <sup>3</sup>	WEICHAI
LW400KN	4000kg	2.4 m <sup>3</sup>	WEICHAI
ZL50GN	5000kg	3 m <sup>3</sup>	SHANGCHAI

● XGMA Wheel Loader



Product Name	Load Capacity	Bucket Capacity	Engine Model
XG932H	3200kg	1.8 m <sup>3</sup>	YUCHAI
XG935H	3200kg	1.8 m <sup>3</sup>	YUCHAI
XG955H	5000kg	3.0 m <sup>3</sup>	SHANGCHAI

● LIUGONG Wheel Loader



Product Name	Load Capacity	Bucket Capacity	Engine Model
CLG836	3000kg	1.7 m <sup>3</sup>	WEICHAI/SHANGCHAI
CLG856H	5000kg	3 m <sup>3</sup>	CUMMINS/WEICHAI
ZL50CN	5000kg	3 m <sup>3</sup>	CUMMINS
CLG862H	6000kg	3.5m <sup>3</sup>	CUMMINS/CAT



● SANY Excavator



Model	Operating Weight	Rated Bucket Capacity	Engine Model
SY35U	3855kg	0.12m <sup>3</sup>	3TNV88F-ESSY
SY135C	13500kg	0.65m <sup>3</sup>	GB3-4JJ1X
SY215C	21900kg	0.93m <sup>3</sup>	mitsubishi 4M50
SY335C	35500kg	1.5m <sup>3</sup>	ISUZU AL-6HK1X-S

● XCMG Excavator



Model	Operating Weight	Rated Bucket Capacity	Engine Model
XE215C	21700kg	0.92m <sup>3</sup>	ISUZU BB-6BG1 TRP
XE60	5960kg	0.18m <sup>3</sup>	YANMAR 4 TNV94L
XE150D	14400kg	0.6m <sup>3</sup>	ISUZU BB-6BG1 TRP
XE335C	33800kg	1.4m <sup>3</sup>	ISUZU AA-6HK1XQP

● HBXG Bulldozer



Model	Engine Model	Rated Power	Blade Capacity
T140-1	WD10G156E26	104KW/140HP	4.5m <sup>3</sup>
TY165-3	WD10G178E25	131KW/165HP	4.6m <sup>3</sup>
SD7N	NT855-C280S10	185KW/230HP	8.1m <sup>3</sup>
SD8N	NTA855-C360S10	257KW/320HP	11.24m <sup>3</sup>

● PENGPU Bulldozer



Product Name	Engine Model	Rated Power	Blade Capacity
PD165Y-2	SC11CB184G2B1	135KW/165HP	4.5m <sup>3</sup>
PD220Y-1	NT855-C280	175KW/220HP	6.4m <sup>3</sup>
PD220YS	NT855-C280	175KW/220HP	6.6m <sup>3</sup>
PD320Y-1	NTA855-C360	257KW/320HP	10.4m <sup>3</sup>

● ZOOMLION Excavator



Model	Operating Weight	Rated Bucket Capacity	Engine Model
ZE210E	21300kg	0.9m <sup>3</sup>	CUMMINS B5.9-C
ZE230E	22800kg	1.1m <sup>3</sup>	CUMMINS B5.9-C
ZE260E	24500kg	1.2m <sup>3</sup>	CUMMINS B5.9-C
ZE360E	34300kg	1.6m <sup>3</sup>	CUMMINS 6C8.3

● ZOOMLION Bulldozer



Model	Engine Model	Rated Power	Blade Capacity
ZD160-3	WD10G178E25	131KW/160HP	4.6m <sup>3</sup>
ZD220-3	NT855-C280 (BC3)	175KW/220HP	6.4m <sup>3</sup>
ZD220F-3	NT855-C280 (BC3)	175KW/220HP	4.8m <sup>3</sup>
ZD320-3	NTA855-C360	257KW/320HP	11.6m <sup>3</sup>

● Backhoe Loader



Model	Rated Power	Standard Bucket Capacity	Operating Weight
LIUGONG WZ30-25	65KW	1.0/0.3m <sup>3</sup>	9500kg
LIUGONG XC870K	70KW	1.0/0.3m <sup>3</sup>	7600kg
CHANGLIN 630A	70KW	1.0/0.3m <sup>3</sup>	7600kg
XCMG XC870K	70-82KW	1.0m <sup>3</sup>	7600kg

● Skid Steer Loader



Model	Rated Power	Standard Bucket Capacity	Operating Weight
XCMG XC740K	36.8KW	0.45m <sup>3</sup>	3140kg
XCMG XC760K	61.3KW	0.6m <sup>3</sup>	3450kg
HYSOON HY700	45KW/60HP	700Kg	2860kg
HYSOON HY1000	60KW	1000Kg	2900kg



# ROAD CONSTRUCTION MACHINERY

Available Accessible Affordable



● SANY Roller



Model	Engine Model	Power	Operating Weight
SSR200AC-8H	WEICHAI	147KW	20000kg
SSR100C-10	DONGFENG CUMMINS	93KW	10000kg

● XCMG Roller

**ZOOMLION**



Model	Engine Model	Power	Operating Weight
XS163J	SHANGCHAI	92KW	16000kg
XD122E	DEUTZ	125KW	12000kg
XP163	SHANGCHAI	92KW	11100kg

● ZOOMLION Roller

**ZOOMLION**



Model	Engine Model	Power	Operating Weight
YL26R	CUMMINS	125KW	26000Kg
YL30R	CUMMINS	125kw	30000Kg

● LIUGONG Roller

**LIUGONG**



Model	Engine Model	Power	Operating Weight
CLG614H	CUMMINS	118KW	14000Kg
CLG6213E	CUMMINS	113KW	13000Kg
CLG6526	CUMMINS	132KW	21000Kg



● SANY Motor Grader



Model	Engine Model	Power	Operating Weight
SSR100C-10	DONGFENG CUMMINS	93KW	10000Kg
SSR200AC-8H	WEICHAI	147KW	20000Kg

● XCMG Motor Grader



Model	Engine Model	Power	Operating Weight
GR1653	SHANGCHAI	125KW	13000Kg
GR1803	SHANGCHAI	140KW	14500Kg
GR180	CUMMINS	142KW	15400Kg
GR2153	CUMMINS	164KW	16500Kg

● SANY Asphalt Concrete Paver



Model	Paving Width	Max. Paving Thickness	Engine
SAP60C-8	6m	250mm	QSB4.5-C130-30
SAP90C-8	9.2m	350mm	D0753-231E0
SAP100C-8	10m	350mm	D0753-231E0

● ZOOMLION Asphalt Concrete Paver



Model	Paving Width	Max. Paving Thickness	Engine
ZPS3880RE	3m-9m	350mm	DEUTZ B71-24T3R
ZP3980AN	2.5m-12m	450mm	DEUTZ B71-26T3R

● CHANGLIN Motor Grader



Model	Engine Model	Power	Operating Weight
713H	DONGFENG CUMMINS	97KW	12000Kg
717H	SHANGCHAI	175KW	14500Kg
719H	CUMMINS	138KW	15900Kg

● LIUGONG Motor Grader



Model	Engine Model	Power	Operating Weight
CLG4165	DONGFENG CUMMINS	125kw	15000Kg
CLG4180	DONGFENG CUMMINS	142kw	15500Kg
CLG4215	DONGFENG CUMMINS	160kw	16500Kg

● XCMG Asphalt Concrete Paver



Model	Paving width	Max. Paving Thickness	Engine
RP453L	1.8m-4.5m	260mm	SC4H100.1G3
RP603	2.5m-6m	300mm	SC7H175
RP803	3m-8m	350mm	SC7H190
RP953	2.5m-10.5m	350mm	BF6M1013

● LIUGONG Asphalt Concrete Paver



Model	Paving Width	Max. Paving Thickness	Engine
509E	3m-9m	300 mm	DONGFENG CUMMINS



● SANY Milling Machine



● ZOOMLION Milling Machine **ZOOMLION**

● ZOOMLION Asphalt Mixing Plant

**ZOOMLION**

● XCMG Asphalt Mixing Plant



Model	Max. Milling Width	Max. Milling Depth	Engine
SCM200-3C	1000mm	280mm	CUMMINS QSB5.9-C210-30

Model	Max. Milling Width	Max. Milling Depth	Engine
BG2100B	2100mm	320mm	CATERPILLAR
BG2000G	2000mm	320mm	CATERPILLAR

Model	Total Installed Power	Rated Productivity	Rated Mixing Capacity
LB2000	430/390kW	160t/h	2000Kg/batch

Model	Total Installed Power	Rated Productivity	Rated Mixing Capacity
XAP80	326.05KW	80t/h	1250Kg/batch

● XCMG Milling Machine



● SANY Asphalt Mixing Plant **SANY**

● LIAOYUAN Asphalt Mixing Plant



Model	Max. Milling Width	Max. Milling Depth	Engine
XM503	500mm	180mm	SC4H-C125
XM1003	1000mm	180mm	SC9DK220G3
XM1303K	1300mm	300mm	SC9DK240G3
XM200K	2000mm	320mm	QSX15 447KW

Model	Hot Aggregate Silo	Rated Productivity	Rated Mixing Capacity
SLB2000B	13m <sup>3</sup>	120-160t/h	2000kg

Model	Fuel Consumption	Rated Productivity	Rated Productivity
LB700	Oil: 5.5-7kg/t	60t/h	700Kg/batch
LB1200	Oil: 5.5-7kg/t	100t/h	1200Kg/batch





# CONCRETE MACHINERY

To be the Most Influential One-Stop Construction Machinery Supplier in the World.



● XCMG Concrete Pump Truck



Name	Engine Model	Emission Standard	Reach Height
HB40	D13	Nation III GB III	40m
HB41	D13	Nation III GB III	41m
HB44	D12	Euro III	44m
HB52	D13	Nation III GB III	52m

● SANY Concrete Pump Truck



Name	Engine Model	Emission Standard	Reach Height
SYG5271THB 38	OM501LA.III/17	Tier IV /Tier III	38m
SYG5360THB 47	OM501LA.IV/3	Tier IV /Tier III	47m
SYG5418THB 53	OM501LA.IV/3	Tier IV /Tier III	53m
SYG5530THB 62	OM501LA.IV/3	Tier IV /Tier III	62m

● ZOOMLION Concrete Pump Truck



Name	Max. Concrete Output	Number of Arms	Reach Height
23X-4Z	100/60m <sup>3</sup> /h	3	22m
38X-5RZ	140/90m <sup>3</sup> /h	5	38m
49X-6RZ	170/120m <sup>3</sup> /h	6	49m
63X-6RZ	200/140m <sup>3</sup> /h	6	60m

● XCMG Concrete Mixer Truck



Name	Engine Model	Rated Power	Drum Volume
G12NX	WP10.336N/WP10.340E32	247KW	12m <sup>3</sup>
G14ZZ	WD615.96E	276KW	14m <sup>3</sup>
G15SX	WP10.375/WP10.380E32	276KW	15m <sup>3</sup>
G16SX	WP10.375/WP10.380E32	276KW	16m <sup>3</sup>



● SANY Concrete Mixer Truck  **SANY**



Product Name	Engine Model	Rated Power	Drum Volume
SY204C-6	YUCHAI YC4D140-33	140kW	4m <sup>3</sup>
SY306C-6	HINO J08E-VA	202kW	6m <sup>3</sup>
SY308C-8	HINO J08E-VA	202kW	8m <sup>3</sup>
SY310C-8	HINO P11C-UH	240kW	10m <sup>3</sup>

● SANY Trailer Pump  **SANY**



Product Name	Engine Model	Rted Power	Max. Concrete Output
HBT4010C-5I	SANY	49kW	40m <sup>3</sup> /h
HBT5008C-5S	SANY	55kW	50m <sup>3</sup> /h
HBT6013C-5I	SANY	81kW	65m <sup>3</sup> /h
HBT6016C-5	SANY	110 kW	40m <sup>3</sup> /h

● XCMG Concrete Mixing Plant  **XCMG**



Product Name	Theoretical Productivity	Dump Height	Mixing Power
HZS90	90/180m <sup>3</sup> /h	4m	2*30kW
HZS120	120/240m <sup>3</sup> /h	4m	2*37kW
HZS180	180/360m <sup>3</sup> /h	4m	2*55kW

● SANY Concrete Mixing Plant  **SANY**



Product Name	Theoretical Productivity	Dump Height	Mixing Power
HZS30V8	26m <sup>3</sup> /h	4m	18.5kW
HZS60F	60m <sup>3</sup> /h	4m	2*18.5kW
HZS90V8	75m <sup>3</sup> /h	4m	2*30kW
HZS120F8	120m <sup>3</sup> /h	4m	2*37kW

● XCMG Trailer Pump  **XCMG**



Product Name	Engine Model	Rted Power	Max. Concrete Output
HBT5008K	WP4G110E220	82kW	50m <sup>3</sup> /h
HBT6013K	WP4G160E331	118kW	65/40m <sup>3</sup> /h
HBT9018K	BF6M1013	186kW	115/60m <sup>3</sup> /h

● ZOOMLION Trailer Pump  **ZOOMLION**



Product Name	Engine Model	Rted Power	Max. Concrete Output
HBT40.10.60RS	ZOOMLION	60kW	49/26m <sup>3</sup> /h
HBT60.13.90SU	ZOOMLION	90kW	70/42m <sup>3</sup> /h
HBT80.14.174RSU	ZOOMLION	174kW	85/55m <sup>3</sup> /h
HBT100.18.186RSU	ZOOMLION	186kW	93/64m <sup>3</sup> /h

● ZOOMLION Concrete Mixing Plant  **ZOOMLION**



Product Name	Theoretical Productivity	Dump Height	Mixing Power
HZS60P	60m <sup>3</sup> /h	4m	100kW
HZS90P	90m <sup>3</sup> /h	4m	160kW
HZS90T	90m <sup>3</sup> /h	4m	160kW
HZS120P	120m <sup>3</sup> /h	4m	170kW

● SINOMADA Self Loading Mixer  **SINO MADA**



Product Name	Engine Brand	Charging Capacity	Mixing Power
JBC-12	YUNNEI YN27GBZ	1.7m <sup>3</sup>	55kW
SY3200	CF4C100T-Z	2.0m <sup>3</sup>	78kW
HB2500	YUCHAI 4100	2.5m <sup>3</sup>	73kW
HB2500	YUCHAI, YCD4J22G	6.1m <sup>3</sup>	85kW



# TRUCK & SPECIAL VEHICLE

Big Data, Big Benefits



● SHACMAN Dump Truck



Product Name	Driving Type	Engine	Box Volume
F2000	6x4	300hp Euro-II	18m <sup>3</sup>
F3000	6x4	340hp Euro-II	18m <sup>3</sup>
F3000	6x4	380hp CNG	20m <sup>3</sup>
H3000	8x4	375hp Euro-IV	28m <sup>3</sup>

● BEIBEN Dump Truck



Product Name	Driving Type	Engine	Box Volume
NG80	6x4	290hp Euro-III	13m <sup>3</sup>
NG80	6x4	380hp Euro-III	19m <sup>3</sup>
NG80	8x4	380hp Euro-III	22m <sup>3</sup>
V3	8x4	420hp Euro-III	25m <sup>3</sup>

● FOTON Dump Truck



Product Name	Driving Type	Engine	Box Volume
FOTON	8x4	240hp Euro-III	20.7m <sup>3</sup>
FOTON	6x2	220hp Euro-III	14m <sup>3</sup>
FOTON	8x4	336hp Euro-III	23m <sup>3</sup>
FOTON	6x4	310hp Euro-III	15m <sup>3</sup>

● SANY Mining Dump Truck



Product Name	Rated Load	Engine Power	Box Capacity
SET230	230t	1864KW	146m <sup>3</sup>
SRT45	45t	388KW	29.5m <sup>3</sup>
SRT95C	95t	783KW	60m <sup>3</sup>
SRT55D	55t	480KW	35m <sup>3</sup>



● XCMG Mining Dump Truck



● MINING Dump Truck

● FOTON Tractor Truck



● CIMC Semi-trailer



Product Name	Rated Load	Engine Power	Box Capacity
XDM60	60t	353KW	33.4m <sup>3</sup>
XDE240	230t	1860KW	125m <sup>3</sup>

Product Name	Rated Load	Engine Power	Box Capacity
BEIBEN XC3500KZ/35	50t	235KW	23.5m <sup>3</sup>
BEIBEN XC3501KZ/38	50t	266KW	24.5m <sup>3</sup>
SHAMAN	60t	296KW	25m <sup>3</sup>
SHAMAN	60t	320KW	32m <sup>3</sup>

Product Name	Driving Type	Engine	Max. Speed
FOTON	4x2	360hp Euro IV	90km/h
FOTON	6x4	460hp Euro IV	90km/h
FOTON	6x4	430hp Euro IV	95km/h
FOTON	6x4	430hp Euro IV	90km/h

Semi-trailer Type	No. of Axle	Length	Loading Capacity
Low Bed	2 Axles	10m	40ton
Side Dumper	3 Axles	16m	50ton
Container Flat Bed	2 Axles	7.2m	20ft
Water Tank	3 Axles	12m	40m <sup>3</sup>

● SHACMAN Tractor Truck



● BEIBEN Tractor Truck



● DONGFENG Semi-trailer



● SINOMADA Semi-trailer



Product Name	Driving Type	Engine	Max. Speed
F3000	4x2	290hp Euro II	99km/h
F2000	6x4	340hp Euro III	92km/h
M3000	6x4	375hp Euro III	84km/h
X3000	6x4	380hp Euro IV	110km/h

Product Name	Driving Type	Engine	Max. Speed
BEIBEN	4x2	336hp Euro II	90km/h
BEIBEN	6x4	380hp Euro III	90km/h
BEIBEN	6x4	375hp Euro IV	120km/h
BEIBEN	6x6	420hp Euro IV	100km/h

Semi-trailer Type	No. of Axle	Length	Loading Capacity
Container Skeleton	3 Axles	12.5m	39.5ft
Low Bed	3 Axles	16m	28ton
Stake	3 Axles	13m	28ton
Water Tank	3 Axles	12m	40m <sup>3</sup>

Semi-trailer Type	No. of Axle	Length	Loading Capacity
Stake	3 Axles	13m	28ton
Container Skeleton	3 Axles	12m	35ft
Low Bed	2 Axles	9m	35ton
Water Tank	3 Axles	15m	60m <sup>3</sup>



# DRILLING MACHINERY

Machinery Performance, Driven By Technology



- XCMG Horizontal Directional Drill



Model	Engine Model	Max. Pull/Thrust Force (kN)	Torque (N.M)
XZ200	CUMMINS	225	6350
XZ320D	CUMMINS	320	12000
XZ320E	CUMMINS	345	12600
XZ450	CUMMINS	480	23500

- GUDENG Horizontal Directional Drill



Model	Engine Model	Max. Pull/Thrust Force (kN)	Torque (N.M)
GD200F-LS	CUMMINS	225/300	6500
GD320C-LS	CUMMINS	350/700	12600
GD380A-LS	CUMMINS	406/812	17000
GS700-LS	CUMMINS	700/1400	30000

- XCMG Rotary Drilling Rig



Model	Engine	Rated Power	Max. Pile Diameter
XRL100	CUMMINS	116KW	1400mm
XR150DIII	CUMMINS	150KW	1500mm
XR360	CUMMINS	298KW	2500mm
XR550D	CUMMINS	447KW	3500mm

- SANY Rotary Drilling Rig



Model	Engine	Rated Power	Max. Pile Diameter
SR155C10	mitsubishi	144KW	1500mm
SR205-C10	ISUZU	212KW	1800mm
SR235-C10	ISUZU	257KW	2000mm
SR285R-C10	ISUZU	300KW	2300mm



● SUNWARD Rotary Drilling Rig



Model	Engine	Rated Power	Max. Pile Diameter
SWDM120	CUMMINS	124KW	1300mm
SWDM260B	CUMMINS	242KW	1200mm/2000mm
SWDM360H III	CUMMINS	399KW	2500mm
SWDM600W	CUMMINS	447KW	3000mm

● ZOOMLION Drilling Rig **ZOOMLION**



Model	Engine	Rated Power	Max. Pile Diameter
ZR280C-3	CUMMINS	298KW	2500mm
ZR400C-3	CUMMINS	373KW	3000mm
ZR460V	CUMMINS	418KW	3500mm
ZR600A	BENZ	464KW	4000mm

● SANY Roadheader



Model	Power of Cutting Motor	Hardness of Coal Quality	Weight of Machine
EBZ132	132/75kW	≤70MPa	41.5t
EBZ200	200/110kW	≤80MPa	59t
EBZ230	230/135kW	≤85MPa	69t
EBZ260A	260/200kW	≤105MPa	100t

● ZOOMLION Diaphragm Wall Grab

**ZOOMLION**



Model	Max. Drilling Hole	Max. Drilling Depth	Rated Power	Machine Weight
ZDG650	1500mm	80m	298KW	126t

● YUCHAI Rotary Drilling Rig



Model	Engine	Rated Power	Max. Pile Diameter
YCR50	CUMMINS	86KW	1200mm
YCR120	CUMMINS	112KW	1500mm
YCR180	CUMMINS	186KW	1800mm
YCR220	CUMMINS	246KW	2500mm

● XCMG Roadheader



Model	Power of Cutting Motor	Hardness of Coal Quality	Weight of Machine
EBZ135	135kW	≤60MPa	44t
EBZ160	160/80kW	≤65MPa	51t
EBZ230	230/150kW	≤80MPa	80t
EBZ260	260/200kW	≤90MPa	85t

● SANY Diaphragm Wall Grab



Model	Max. Drilling Hole	Max. Drilling Depth	Rated Power	Machine Weight
SH400C	1500mm	70m	261KW	61t

● XCMG Diaphragm Wall Grab



Model	Max. Drilling Hole	Max. Drilling Depth	Rated Power	Machine Weight
XG600E	2800mm	105m	298KW	93t



# PORT MACHINERY

Smart Agricultural Machinery, For Beautiful New Life



# PORT MACHINERY

## ZOOMLION

● Reach Stacker



Product Name	Max. Lifting Height	Max. Load	Engine
SANY SRSC45GC	15100mm	45t	VOLVO
HELI RSH4532-CU	15050mm	45t	CUMMINS

● XCMG Telehandler



Product Name	Engine Power	Rated Load	Gross Weight	Fork Length
XC6-3006K	90kW	3000kg	7250kg	1000mm
XC6-3514K	74.9kW	3500kg	10500kg	1200mm
XC6-4517K	82/74.9kW	4500kg	13500kg	1200mm

● Forklift



Product Name	Rated Capacity	Lifting Height	Free Lifting Height	Power Type
ZOOMLION FD30Z	3000kg	3000mm	145mm	DIESEL
ZOOMLION YB16-R1	1600kg	3000mm	100mm	BATTERY
HUAHE HH20 (Z)	2000kg	3000mm	500mm	DIESEL
HUAHE HH30 (Z)	3000kg	3000mm	500mm	GASOLINE

● Heavy Forklift



Product Name	Rated Capacity	Max. Lifting Height	Load Center
SANY SCP320C1	32t	4000mm	1200mm
SANY SCP460C1	46t	4000mm	1200mm
HELI CPCD250	25000kg	4000mm	1200mm
HELI CPCD460	46000kg	4000mm	1200mm



# AGRICULTURAL MACHINERY

Provide Customized Brand Solutions for Customers



● ZOOMLION Tractor

**ZOOMLION**



Model	Driving Type	Rated Power	Operating Weight
RK704-A	4x4	51.5KW/69HP	2475kg
RH904-A	4x4	66.2KW/89HP	3970kg
RC1104	4x4	81KW/109HP	4040kg
RH1204	4x4	88.2KW/118HP	4250kg



● ZOOMLION Harvester

**ZOOMLION**



Model	Weight	Rated Power	Feed Quantity
4LZT-4.0ZD	3260kg	66KW/88HP	4kg/h
4LZT-5.0QC	2750kg	70KW/94HP	5kg/h
AC60	8400kg	129KW/173HP	≥6kg/h
AS60	9800kg	140KW/188HP	6kg/h





# SINOMADA

SINOMADA HEAVY INDUSTRY (CHANGSHA) CO., LTD.  
SINOMADA CHINA LIMITED

